

Viewing Graph Transformation through the Algorithmic Lens

Nathalie Bertrand¹, Giorgio Delzanno², Barbara König³,
Arnaud Sangnier⁴, Jan Stückrath³

¹INRIA Rennes Bretagne Atlantique, France

²Università di Genova, Italy

³Universität Duisburg-Essen, Germany

⁴Université Paris Diderot (Paris VII), France

ABSTRACT. We present an algorithmic view of graph transformation systems, a powerful infinite-state system model, obtained through a study of decidability issues for reachability problems. For a fixed initial configuration, we consider reachability of an entirely specified configuration and of a configuration that satisfies a given pattern (coverability). The former is a fundamental problem for any computational model, the latter is strictly related to verification of safety properties in which the pattern specifies an infinite set of bad configurations. In this paper we reformulate results obtained, e.g., for context-free graph grammars and concurrency models, such as Petri nets, in the more general setting of graph transformation systems and study new results for classes of models obtained by adding constraints on the form of reduction rules.

1 Introduction

Graph transformation systems (GTS) form an intuitive, but precise modelling framework, which has been extensively studied since its introduction in the 1970's. A graph transformation system consists of an initial graph and a set of reduction rules, which rewrite graphs and thus generate a transition system with graphs as states. Applications come from diverse areas such as the specification of UML model transformation [12] or encoding of process calculi [3].

In the past there has been a strong focus on questions of (categorical) semantics and expressiveness, while algorithmic issues received much less attention. Especially, different from related formalisms such as Petri nets [13], there is no systematic study of decidability results for graph transformation systems.

Taking inspirations from recent work on concurrency models [4, 6, 16, 17, 20], we consider here decidability issues for two fundamental problems: *reachability* and *coverability* of a given graph G_f from an *initial graph* G_0 . The first problem requires the existence of a computation from G_0 to (a graph isomorphic to) G_f . The second one requires the existence of a computation from G_0 to some graph G that includes G_f as a subgraph.

While it is straightforward to determine the decidability status of these problems for general graph transformation systems, where the problems are both undecidable, and finite-state graph transformations, where they are both decidable, there are several other classes

of infinite-state systems for which the question can be naturally asked. In this paper we systematically analyse reachability and coverability for several subclasses of GTS obtained as syntactic restrictions of reduction rules.

For special classes of GTSs in which rules never change the underlying structure, we also consider an existential formulation of the coverability problem in which the initial configuration is an unknown variable to be discovered. This problem naturally models parameterized verification questions for concurrent systems with a static topology [7].

With our analysis, we combine within a unified framework both known results coming from fields such as context-free graph grammars, concurrency and verification, with new ones that we obtain by considering restrictions such as non-deletion of nodes, well-structuredness of the rewriting relation, and relabelling reductions only. We believe that our algorithmic view of graph transformation systems is innovative and that it might open new research directions in the field of verification of infinite-state systems.

2 What is a Graph Transformation System?

A graph transformation systems (GTS) is defined by a collection of reduction rules that can be used to dynamically modify the structure of an initial hypergraph. Reduction rules can conveniently be defined as graph morphisms. To formalize these ideas, we next define (labelled) hypergraphs – in the following simply called graphs – and graph morphisms.

DEFINITION 1. Let Λ be a finite sets of edge labels and $ar: \Lambda \rightarrow \mathbb{N}_0$ a function that assigns an arity to each label. A (Λ) -hypergraph is a tuple (V_G, E_G, c_G, l_G^E) where V_G is a finite set of nodes, E_G is a finite set of edges, $c_G: E_G \rightarrow V_G^*$ is a connection function and $l_G^E: E_G \rightarrow \Lambda$ is an edge labelling function. We require that $|c_G(e)| = ar(l_G^E(e))$ for each edge $e \in E_G$

An edge e is called adjacent to a node v if v occurs in $c_G(e)$.

We remark here that we consider graphs in which hyperedges have a fixed arity determined by their label. Directed labelled graphs are a special case of hypergraphs where every sequence $c_G(e)$ is of length two.

DEFINITION 2. Let G, G' be (Λ) -hypergraphs. A partial hypergraph morphism (or simply morphism) $\varphi: G \rightarrow G'$ consists of a pair of partial functions $(\varphi_V: V_G \rightarrow V_{G'}, \varphi_E: E_G \rightarrow E_{G'})$ such that for every $e \in E_G$ it holds that $\varphi_V(c_G(e)) = c_{G'}(\varphi_E(e))$ whenever $\varphi_E(e)$ is defined. Furthermore if a morphism is defined on an edge, it must be defined on all nodes adjacent to it.

A morphism is called label-preserving if in addition $l_G^E(e) = l_{G'}^E(\varphi_E(e))$ for all $e \in E_G$, where $\varphi_E(e)$ is defined. Total morphisms are denoted by an arrow \rightarrow .

In the following we drop the subscripts and write φ instead of φ_V and φ_E . Note that in the literature graph morphisms are usually label-preserving. Here we are more flexible in our definition, since we want to use graph morphisms also in order to define relabellings.

Isomorphism, Subgraphs, and Minors Two graphs G, H are called *isomorphic* if there is a bijective, label-preserving morphism from G to H . In the rest of the paper we consider the following graph orderings over hypergraphs: $G \sqsubseteq_s H$, if G is a *subgraph* of H , namely,

there exists a total, injective and label-preserving morphism from G to H , and $G \sqsubseteq_m H$ if G is a *minor* of H , i.e., G can be obtained from H by (iterative) node deletion, edge deletion and edge contraction. *Edge contraction* for hypergraphs means that the edge is deleted and all its adjacent nodes are merged (see also [19]). Note that if G is a subgraph of H , it is also a minor, but not necessarily vice versa.

Graph Rewriting We now define the rewriting mechanism, a slight extension of single-pushout rewriting (SPO) [11]. One of the most important features of SPO is the handling of so-called “dangling” edges: whenever a node is deleted, all edges attached to it have to be removed as well, also those which are not explicitly deleted. Different from standard SPO we allow as rules partial morphisms which are not necessarily label-preserving. In such a case the corresponding edge is preserved and relabelled. In the definition below this is simulated by removing the old edge and adding a new edge with the modified label. This will be especially important in Section 3.6 where we consider node relabelling as well.

DEFINITION 3. A rewriting rule is a partial morphism $r: L \rightarrow R$, where L is called left-hand side and R right-hand side. A match (of r) is a total, injective and label-preserving morphism $m: L \rightarrow G$.*

Given a rule r and a match m , a rewriting step or an application of the rule to the graph G , results in a graph H (symbolically $G \Rightarrow_{\mathcal{R}} H$), which is defined as follows. Let E_D be the set of edges $e \in E_G$ which are adjacent to a node $m(v)$ where $r(v)$ is undefined (so-called dangling edges). We define the node and edge sets of H as follows: $V_H = V_G \setminus V_L \cup V_R$, $E_H = E_G \setminus (E_L \cup E_D) \cup E_R$.

Define a mapping on nodes from G to H (the mapping \tilde{r} can also be extended to edges): $\tilde{r}: V_G \rightarrow V_H$ such that $\tilde{r}(v) = v$ if $v \in V_G \setminus V_L$, and $\tilde{r}(v) = r(v)$ if $v \in V_L$. Finally, define the attachment and edge labelling functions of H :

$$c_H(e) = \begin{cases} c_R(e) & \text{if } e \in E_R \\ \tilde{r}(c_G(e)) & \text{if } e \in E_G \setminus (E_L \cup E_D) \end{cases} \quad l_H^E(e) = \begin{cases} l_R^E(e) & \text{if } e \in E_R \\ l_G^E(e) & \text{if } e \in E_G \setminus (E_L \cup E_D) \end{cases}$$

Intuitively, we can think of this as follows: L is a subgraph of G , all items of L whose image is undefined under r are deleted, the new items of R are added, merged and connected as specified by r . Whenever a node is deleted, all adjacent edges will be deleted as well. In addition, edges are relabelled as specified by r .

EXAMPLE 4. Let r be a rule which takes two consecutive A -labelled edges (i.e. forming a directed path) and replaces them by a new A -labelled edge. This is done by deleting the old edges including their common node and adding a new A -labelled edge attached to the first and last node of the previously existing path, as shown in Figure 1. Assume the rule is applied to a graph G with a match m as indicated. First, the two A -labelled edges and node 2 are deleted, since they have no image under r . Additionally the B -labelled edge has to be deleted, because it is attached to a deleted node and is therefore a dangling edge.

*Since m is injective we can assume that it acts as the identity on nodes and edges on which it is defined, i.e., $m(v) = v$ and $m(e) = e$ for $v \in V_L, e \in E_L$. In addition we assume that the set of nodes and edges in R not in the image of r are disjoint from the set of nodes and edges of G .




Figure 1: Graph rewriting example

After that a new A -labelled edge is added, since it has no preimage under r . All nodes and non-dangling edges in G not in the image of m remain unchanged.

3 An Algorithmic Study of Reachability and Coverability

As mentioned in the introduction, we focus our attention on fundamental decision problems for studying computational properties of a model, namely reachability and coverability. The following definitions are given modulo isomorphism.

DEFINITION 5. Given a finite set of rewriting rules \mathcal{R} , an initial graph G_0 and a final graph G_f , the *Reachability Problem* is defined as follows: does $G_0 \Rightarrow_{\mathcal{R}}^* G_f$ hold?

DEFINITION 6. Given a finite set of rewriting rules \mathcal{R} , an initial graph G_0 and a final graph G_f , the *Coverability Problem* is defined as follows: is there a graph H such that $G_0 \Rightarrow_{\mathcal{R}}^* H$ and $G_f \sqsubseteq_s H$?

We will now study decidability and undecidability results by extending existing results (e.g., for context-free grammars, GTSs and Petri nets, and well-structured transition systems) with new results for several fragments of GTSs. The conclusion (Section 6) gives an overview over the various cases in a single diagram. We first recall that the reachability and the coverability problem are both undecidable in the general case. This is a known result. It is quite straightforward to encode Turing machines into graph rewriting and either problem admits a reduction from the halting problem.

Another immediate results follows from the following observation. If there are only finitely many graphs up to isomorphism reachable from G_0 , the reachability and coverability are decidable. Indeed we just have to enumerate all graphs up to isomorphism and check whether they are isomorphic or in relation to G_f . While the result follows quite trivially, an efficient implementation is more demanding (see for instance the GROOVE tool [18]).

3.1 Context-free Graph Transformation Systems

A well-known subclass of graph transformation systems are context-free graph grammars or hyperedge replacement graph grammars [9], where the left-hand side of a rule consists of

a single hyperedge and no nodes are deleted or fused. Such grammars are usually used as a language-generating device: labels are partitioned into terminal and non-terminal labels. Only graphs which have only terminal labels are elements of the language. Furthermore G_0 consists of a single edge with a non-terminal label (the axiom) and the same is true for all left-hand sides. Since the distinction between terminal and non-terminal labels does not play a fundamental role for decidability questions, we will drop it in the following.

DEFINITION 7. *A set \mathcal{R} of rewriting rules is called context-free if every rule $r \in \mathcal{R}$ with $r: L \rightarrow R$ satisfies the following restrictions:*

- *L has the form $L = (\{v_1, \dots, v_n\}, \{e\}, [e \mapsto v_1 \dots v_n], l_L^E)$, i.e., L consists of a single hyperedge, which is connected to a duplicate-free sequence of nodes.*
- *r is defined and injective on v_1, \dots, v_n . Furthermore r is undefined on e .*

PROPOSITION 8 ([9]). *The reachability problem for context-free graph transformation systems is NP-complete. More precisely: there are context-free grammars for which the membership problem is NP-complete (in the size of G_f).*

PROPOSITION 9. *The coverability problem for context-free graph transformation systems is decidable.*

PROOF SKETCH. The decision procedure is based on the backward exploration algorithm in Appendix A, where we instantiate the predicate “ G subsumes H ” by $G \sqsubseteq_s H$ (G is a subgraph of H). Indeed, the key idea is to use a graph H as a symbolic representation of its upward closure wrt. \sqsubseteq_s . For the case of context-free rules, termination is obtained by showing that the number of hyperedges occurring in new graphs added at each iteration never increases. From this property and since the arity of hyperedges is finite, we have that the state space we need to explore to search for a graph that subsumes G_0 is always finite (but potentially exponential in the input). More details can be found in Appendix B. ■

3.2 Restrictions on Node Deletion and Creation

In many cases graph transformation systems can be viewed as a variant of Petri nets with additional structure. In this case the graph transformation system can be translated into a low-level Petri net and we obtain decidability results from decidability results for Petri nets, possibly with reset and transfer arcs. This is usually the case when we impose some restrictions on the number of nodes that are deleted and/or created, since the main feature that gives GTSs more expressiveness than Petri nets is the creation of new nodes. This section relies on the intuitions and results of [2], which spells out the connection between SPO and nets with reset arcs. The type of graph transformation systems that are more or less equivalent to Petri nets can be specified as follows.

PROPOSITION 10. *Assume that the set \mathcal{R} of rewriting rules satisfies the restriction that every rule morphism $r: L \rightarrow R$ is a bijection on nodes. Then the reachability problem and the coverability problem are decidable.*

PROOF SKETCH. Let G be the initial graph. In this setting V_G remains unchanged by any graph rewriting step and only the edges may change. We construct a Petri net from the

GTS to reduce reachability and coverability to reachability and coverability on Petri nets. The places of the Petri net are defined as $P = \{(\ell, s) \in \Lambda \times V_G^* \mid ar(\ell) = |s|\}$. A token in a place (ℓ, s) represents an edge e with $l(e) = \ell$ and $c(e) = s$. The initial graph can be transformed straightforwardly into a marking of the Petri net. The rewriting steps are then simulated by adding a set of transitions for each rule $r: L \rightarrow R$, taking into account every possible match of r to any possible graph with $|V_G|$ nodes. We achieve this by enumerating all possible mappings h of nodes of L to nodes of V_G , adding one transition for each. For each edge e of L the transition has one input place $(l(e), h(c(e)))$. Analogously the transition has one output place for every edge in R using the same mapping. Effectively a transition takes tokens out of places representing the edges deleted by r and adds tokens in places representing the edges created by r . Since coverability and reachability are decidable for P/T nets, we obtain the same for this variant of GTSs. ■

If we allow node deletion, but recreate the same number of nodes, we are equivalent in expressivity to Petri nets with transfer arcs.

PROPOSITION 11. *Assume that the set \mathcal{R} of rewriting rules satisfies the restriction that for every rule (partial) morphism $r: L \rightarrow R$ we have $|V_L| = |V_R|$. Then the reachability problem is undecidable, but the coverability problem is decidable.*

PROOF SKETCH. Since the number of nodes of a graph stays constant during rewriting, the encoding of GTSs into Petri nets is similar to the proof of Proposition 10. In order to deal with partial morphisms (i.e. node deletion) and non-injective ones (i.e. node fusion), we introduce transitions with transfer arcs that can transfer all tokens contained in a given set of places into a specific place. Reset arcs [10] are a special case in which the transferred tokens are moved to a sink place. Node deletion and subsequent recreation can be simulated via reset arcs, which empty all places corresponding to edges adjacent to a deleted node. Similarly, node fusion can be simulated by transfer arcs which merge the contents of all places corresponding to edges adjacent to nodes that have the same image. Hence we can encode all GTSs conforming to the restrictions into transfer nets, inheriting the decidability result from coverability of transfer nets. On the other hand, every reset net can be encoded into a GTSs with the above restrictions (see [2]). Hence reachability is undecidable for this class of GTSs. ■

3.3 Non-Deleting Graph Transformation Systems

Now consider GTSs that are *non-deleting* (neither edges nor nodes) and in addition label-preserving, i.e., the rule morphism $r: L \rightarrow R$ is a (total) label-preserving injection.

PROPOSITION 12. *The reachability problem is decidable for non-deleting graph transformation systems.*

PROOF SKETCH. In this setting reachability is decidable, due to the monotonicity of the rules. We apply all rules to derive all possible graphs and stop the derivation if a graph larger than G_f is reached. ■

However the monotonicity has no effect on coverability and we will show that coverability is in fact undecidable.

PROPOSITION 13. *The coverability problem is undecidable for non-deleting graph transformation systems.*

PROOF SKETCH. The coverability problem is undecidable for general GTSs because the halting problem for Turing machines can be reduced to it. This reduction is still possible for non-deleting GTSs. We use a directed path of labeled edges to represent the tape of the Turing machine and add one edge to mark the current state and head position. The input word forms the initial graph and non-deterministically additional blanks are added. Then for each step of the Turing machine, non-deleting rules copy the old tape with the appropriate changes and connect it to the old tape, such that the full Turing machine computation results in a grid-like graph. We have to take into account that without application conditions any rule can be applied an arbitrary number of times using the same matching, leading to a “branching” in the grid. However, we can show that this is not a problem. Hence, the Turing machine terminates if and only if an edge labeled with a final state is coverable in the GTS. The full proof can be found in Appendix B. ■

3.4 Well-Structured Graph Transformation Systems

A good source for decidability results for the coverability problem are well-structured transition systems [14, 1]. For this we need a well-quasi order[†] \sqsubseteq , possibly not on the class of all graphs, but on restricted classes. Furthermore it has to be shown that the well-quasi order is a (weak) simulation for the reduction relation, i.e., if $G \sqsubseteq H$ and G is rewritten to G' , then H can be rewritten (possibly in several steps) to H' such that $G' \sqsubseteq H'$.

These conditions ensure that every upward-closed set can be finitely represented and that the set of predecessors of an upward-closed set is also upward-closed. If in addition the order is decidable and the direct predecessors can be effectively computed, one automatically obtains a backward search algorithm which can decide coverability.

Here we reuse results of [17, 15] and adapt them to our present setting (hypergraphs and SPO with injective matches as a rewriting formalism). The following decidability results then hold.

PROPOSITION 14. *If the set of rules contains edge contraction rules for each edge label (i.e., a rule deleting that edge and merging all its adjacent nodes), then the coverability problem is decidable.*

PROOF SKETCH. We prove well-structuredness of GTSs with contraction rules for all possible edge labels. We first recall that the graph minor ordering is a decidable well-quasi ordering [19]. Furthermore, the transition system of a GTS with contraction rules is monotone wrt. the minor ordering. Based on these properties, we can apply the symbolic backward reachability algorithm in Appendix A, by instantiating the *subsumes* relation with the minor relation, and by taking as $MPre_r$ the computation of the predecessors described in [15] for conflict-free matches, adapted here to injective matches. The fact that the minor ordering is a wqo ensures termination of the predecessor computation and thus of the entire decision

[†]A quasi order (on graphs) is a well-quasi order (wqo) if in every infinite sequence G_1, G_2, \dots of graphs there are indices $i < j$ with $G_i \sqsubseteq G_j$.

procedure. Note also that coverability with subgraph inclusion can be easily reduced to coverability wrt. minor ordering by adding a rule that detects the subgraph G_f and adds an edge with a unused label. Then we check whether this new edge is the minor of a reachable graph. ■

For a hypergraph G a *path* of length n is a sequence $v_1, e_1, v_2, \dots, v_{n-1}, e_n, v_n$ of nodes $v_i \in V_G$ and edges $e_i \in E_G$, where e_i is adjacent to v_i, v_{i+1} and no node or edge occurs more than once. A n -bounded path graph is a hypergraph G in which all paths have length less than or equal to n .

PROPOSITION 15. *If every graph reachable from G_0 is an n -bounded path graph, then the coverability problem is decidable.*

PROOF SKETCH. We prove well-structuredness of GTSs wrt. subgraph ordering in the class of n -bounded path graphs (see Appendix B). We can then apply the symbolic backward reachability algorithm in Appendix A by instantiating the subsumption relation \sqsubseteq with subgraph inclusion, and by discarding all predecessors that do not satisfy the n -bounded path property. Termination is guaranteed here by the fact that subgraph ordering for bounded path graphs is a wqo [8]. ■

3.5 Graph Transformation Systems with Systematic Deletion by Minor Rules

The class of graph transformation systems with minor rules (node/edge deletion, edge contraction) is interesting in its own right. One can allow any combination of those rules and study decidability questions.

A direct consequence of the decidability of the coverability problem (wrt. the minor ordering) for graph transformation systems with edge contraction rules [15] is the decidability of the reachability problem for the class of graph transformation systems that contain node deletion, edge contraction and edge deletion rules. In fact, for these kind of systems, reachability can be reduced to coverability because all the rules which are used in the minor ordering are also present in the system. Here we investigate what happens to the reachability problem when considering graph transformation systems where not all three minor rules are present. In the sequel, we will say that a graph transformation system is:

- *edge-contracting* if the set of rules contains edge contraction rules for each edge label;
- *edge-deleting* if the set of rules contains edge deletion rules for each edge label;
- *node-deleting* if the set of rules contains a node deletion rule.

We have the following result which shows that to obtain the decidability of the reachability problem in graph transformation systems with minor rules, all three types of minor rules are necessary.

PROPOSITION 16. *The reachability problem is undecidable for the following classes of graph transformation systems: (a) edge-deleting and node-deleting; (b) edge-contracting and node-deleting; (c) edge-deleting and edge-contracting.*

PROOF. The proof is based on an encoding of Minsky Machines, a model with operations to test, increment, and decrement a collection of counters. The encoding is defined in such a way that it works with small variants in all three cases. To encode a counter we use a

labelled path with different labelled additional edges such that the graph has the following property. Whenever we apply a minor rule, either we inhibit the application of rules that simulate the Minsky machine or we generate garbage that cannot be removed in the rest of the computation. In the former case the computation is deadlocked, in the latter case we can use the target configuration to avoid wrong computations. The detailed construction is given in Appendix B. ■

PROPOSITION 17. *The coverability problem is undecidable for graph transformation systems with edge deletion and node deletion rules.*

PROOF. The proof is a variant of the proof of Proposition 16 in the case of edge deletion and node deletion. More details can be found in Appendix B. ■

3.6 Relabelling Rules

We now consider rules with arbitrary left-hand sides that are however only allowed to re-label their nodes or edges. So far, node labels were of no specific interest, but they play an important role in this section. Hence we now generalize the notion of hypergraph to include node labels: to a quadruple of the form $G = (V_G, E_G, c_G, l_G^E)$ representing a graph as introduced in Definition 1, we will now add an additional node-labelling function $l_G^V: V_G \rightarrow \Lambda'$, where Λ' is a finite set of node labels. The notion of graph morphism and the notion of rewriting are extended in the obvious way.

DEFINITION 18. *A rewriting rule $r: L \rightarrow R$ is called a relabelling rule if r is a bijective (but not necessarily label-preserving) morphism.*

Since reachability and coverability from a fixed initial graph are clearly decidable in this setting (the set of derivable graphs is finite), we consider the following *existential coverability* problem: assume that we are given a set of rewriting rules \mathcal{R} , a set of initial labels and a final graph G_f . Is there a graph G_0 labelled with only initial labels and a graph H such that $G_0 \Rightarrow_{\mathcal{R}}^* H$ and G_f is a subgraph of H ?

We first consider GTSs with either only edge relabelling or only node relabelling rules, i.e. either the set of node labels or the set of edge labels is a singleton.

PROPOSITION 19 (EDGE RELABELLING). *The existential coverability problem is decidable for graph transformation systems with relabelling rules where the set of node labels Λ' is a singleton, i.e., $|\Lambda'| = 1$.*

PROOF SKETCH. Coverability can be decided by a simple fixed-point computation which determines the set of “reachable” edge labels. A label is reachable if it is initial or occurs in a right-hand side and all labels of the corresponding left-hand side are reachable. Then every subgraph G_f that consists only of reachable labels is coverable. In this case, an initial graph and a sequence of rewriting steps leading to a graph covering G_f can be constructed by appropriately merging various initial graphs (one for each occurrence of an edge label in G_f). The full proof can be found in Appendix B. ■

PROPOSITION 20 (NODE RELABELLING). *The existential coverability problem is decidable for graph transformation systems with relabelling rules where the set of edge labels Λ is a singleton, i.e., $|\Lambda| = 1$.*

PROOF SKETCH. The proof for this proposition is analogous to the proof of Proposition 19 using node labels instead of edge labels. An initial graph for the whole graph can be constructed by taking one initial graph for each occurrence of a label (generating that label) and adding every possible edge (i.e., generating a complete graph). ■

Now assume there are both node and edge labels and both can be modified, then the existential coverability problem is undecidable. The graph structure cannot be disregarded in this case and therefore the main assumption of the proofs above does not hold.

PROPOSITION 21 (NODE AND EDGE RELABELLING). *The existential coverability problem is undecidable for graph transformation systems with (general) node and edge relabelling rules.*

PROOF SKETCH. A GTS can be defined that first extracts a path out of the initial graph and then simulates a Turing machine with the path as tape, where each edge label is a cell of the tape. The node labels are here used to ensure that the extracted structure is actually a path, i.e. they ensure that at most two edges attached to the node belong to the tape. The Turing machine computation terminates if and only if there is a sufficiently large initial graph, containing a large enough tape and resulting in a graph covering the final state. The full proof can be found in Appendix B. ■

Hence we arrive at the surprising conclusion that while for edge or node relabelling only their existential coverability is easily decidable, their combination results in an undecidable problem. The fact that graphs with edge and node labels can be encoded into graphs with edge labels does not help, since the encoding is not surjective and the corresponding relabelling problems cannot be reduced to each other: there could always be a graph outside of the image of the encoding from which we can cover the given subgraph.

4 Related Work

In this paper we focused our attention on single-pushout (SPO) rewriting. Another possibility would be to use double-pushout (DPO) rewriting [5]. In DPO a node cannot be deleted if it is connected to edges that are not explicitly deleted. The relation between Petri nets and DPO GTSs has been studied in [2], where the encoding of nets into GTSs deletes and recreates nodes in order to simulate the effects of inhibitor arcs from which we get undecidability of reachability and coverability even for rules that maintain the number of nodes always constant.

Well-structuredness of concurrency models with specific reduction rules that model rendezvous in the class of bounded path graphs has been considered in [17, 20]. Here we generalize well-structuredness to reduction rules defined by total injective morphisms. Well-structured graph rewriting is also considered in [7] where reduction rules that involve all neighbours of a node are used to model broadcast communication, a feature that cannot




Figure 2: Decidability and Undecidability Boundaries.

directly be modeled via GTs. Decidability boundaries for a graph-based model of biological systems are given in [6]. Configurations in κ are graphs in which nodes have labels and a fixed number of binding sites. Rules can update node labels and test the presence/absence of a binding site. Undecidability of coverability in GTs with no-deletion is inspired by a similar result for κ . The proof for GTs however is defined for reduction rules without (test on/updates of) node labels. Furthermore, we consider here several other classes of reduction rules (e.g. context-free, minor and bounded path, relabeling) that are not studied in [6].

5 Conclusion

The results concerning decidability of reachability and coverability (excluding the relabelling cases) can be summarised in the diagram in Fig. 2. Interestingly, for some classes of GTs the reachability problem is decidable and the coverability problem undecidable, while for other classes it is the other way round. Of particular interest is the case of non-deleting GTs, into which we can encode Turing machines, however without guaranteeing termination for halting machines. Hence these GTs cannot be considered Turing-complete in the sense discussed in [16].

We have obtained very general (un)decidability results that can be applied to all kinds of dynamic systems with evolving topologies. They can serve as a general toolbox to obtain decidability results for process calculi, which can often be straightforwardly encoded into graph transformation, for biological systems and for other formalisms.

Note also that many cases of GTs can be found in practice: first, in many examples in the literature the system is indeed fairly static and the number of nodes is fixed. Still, GTs here have a modelling advantage over Petri nets. Furthermore the node/edge deletion and edge contraction rules can be used to faithfully model lossy systems. Finally, triple graph grammars, specifying model transformations, usually have non-deleting rules.

Several of the decision procedures listed in this paper, especially those for coverability, can be implemented in practice and have reasonable runtimes. For instance, there are implementations of the coverability algorithm for Petri nets and of the backwards search

algorithm described in [15].

We hope that this paper will stimulate further research in this area and lead to a better understanding of the algorithmic aspects of graph transformation systems.

References

- [1] P. A. Abdulla, K. Čerāns, B. Jonsson, and Y.-K. Tsay. General decidability theorems for infinite-state systems. In *Proc. of LICS '96*, pages 313–321. IEEE, 1996.
- [2] P. Baldan, A. Corradini, and U. Montanari. Relating SPO and DPO graph rewriting with petri nets having read, inhibitor and reset arcs. In *Proc. of PNGT '04*, volume 127.2 of *ENTCS*, pages 5–28, 2005.
- [3] F. Bonchi, F. Gadducci, and G. V. Monreale. Reactive systems, barbed semantics, and the mobile ambients. In *Proc. of FOSSACS '09*, pages 272–287. Springer, 2009. LNCS 5504.
- [4] N. Busi and G. Zavattaro. Deciding reachability in mobile ambients. In *Proc. of ESOP '05*, pages 248–262. Springer, 2005. LNCS 3444.
- [5] A. Corradini, U. Montanari, F. Rossi, H. Ehrig, R. Heckel, and M. Löwe. Algebraic approaches to graph transformation—part I: Basic concepts and double pushout approach. In *Handbook of Graph Grammars and Computing by Graph Transformation, Vol. 1: Foundations*, chapter 3. World Scientific, 1997.
- [6] G. Delzanno, C. Di Giusto, M. Gabbriellini, C. Laneve, and G. Zavattaro. The κ -lattice: Decidability boundaries for qualitative analysis in biological languages. In *Proc. of CMSB '09*, pages 158–172. Springer, 2009. LNCS 5688.
- [7] G. Delzanno, A. Sangnier, and G. Zavattaro. Parameterized verification of ad hoc networks. In *Proc. of CONCUR '10*, pages 313–327. Springer, 2010. LNCS 6269.
- [8] G. Ding. Subgraphs and well-quasi-ordering. *Journal of Graph Theory*, 16(5):489–502, 1992.
- [9] F. Drewes, H.-J. Kreowski, and A. Habel. Hyperedge replacement graph grammars. In *Handbook of Graph Grammars and Computing by Graph Transformation, Vol. 1: Foundations*, chapter 2. World Scientific, 1997.
- [10] C. Dufourd, A. Finkel, and Ph. Schnoebelen. Reset nets between decidability and undecidability. In *Proc. of ICALP '98*, pages 103–115. Springer, 1998. LNCS 1443.
- [11] H. Ehrig, R. Heckel, M. Korff, M. Löwe, L. Ribeiro, A. Wagner, and A. Corradini. Algebraic approaches to graph transformation—part II: Single pushout approach and comparison with double pushout approach. In *Handbook of Graph Grammars and Computing by Graph Transformation, Vol.1: Foundations*, chapter 4. World Scientific, 1997.
- [12] C. Ermel, H. Ehrig, F. Orejas, and G. Taentzer, editors. *Proc. of GraMoT '10*, volume 30 of *Electronic Communications of the EASST*, 2010.
- [13] J. Esparza and M. Nielsen. Decidability issues for Petri nets. Technical Report RS-94-8, BRICS, May 1994.
- [14] A. Finkel and Ph. Schnoebelen. Well-structured transition systems everywhere! *Theoretical Computer Science*, 256(1–2):63–92, 2001.
- [15] S. Joshi and B. König. Applying the graph minor theorem to the verification of graph transformation systems. In *Proc. of CAV '08*, pages 214–226. Springer, 2008. LNCS 5123.

- [16] S. Maffei and I. Phillips. On the computational strength of pure ambient calculi. *Theoretical Computer Science*, 330:501–551, 2005.
- [17] R. Meyer. *Structural Stationarity in the π -Calculus*. PhD thesis, Carl-von-Ossietzky-Universität Oldenburg, 2009.
- [18] A. Rensink. The GROOVE simulator: A tool for state space generation. In *Proc. of AGTIVE '03*, pages 479–485. Springer, 2003. LNCS 3062.
- [19] N. Robertson and P. Seymour. Graph minors. XXIII. Nash-Williams' immersion conjecture, 2006. <http://www.math.princeton.edu/~pds/papers/GM23/GM23.pdf>, submitted for publication.
- [20] T. Wies, D. Zufferey, and T. A. Henzinger. Forward analysis of depth-bounded processes. In *Proc. of FOSSACS '10*, pages 94–108. Springer, 2010. LNCS 6014.

A Symbolic Backward Reachability Algorithm

Several times within this paper we are referring to a backward reachability algorithm (see Section 3.1 and Section 3.4) for solving the coverability problem. Hence we here present a symbolic variant that can be suitably instantiated.

Require: \mathcal{R}, G_0, G_f s.t. $G_f \not\sqsubseteq G_0$
 $\mathbf{R}, \mathbf{N} := \{G_f\}, \emptyset;$
repeat
 $\mathbf{R} := \mathbf{R} \cup \mathbf{N};$
for every rule $r \in \mathcal{R}$ and every $G \in \mathbf{R}$ **do**
 $S := MPre_r(G);$
for every $H \in S$ **do**
if H subsumes G_0 ($H \sqsubseteq G_0$) **then**
return Yes
end if
if $\nexists H' \in \mathbf{R} \cup \mathbf{N}$ s.t. H' subsumes H **then**
 $\mathbf{N} := \mathbf{N} \cup \{H\};$
end if
end for
end for
until $\mathbf{N} = \emptyset;$
return No

We fix a subsumption relation on graphs, written $G \sqsubseteq H$, which specifies when a graph G subsumes another graph H . In the concrete cases subsumption will be instantiated with subgraph inclusion ($G \sqsubseteq_s H$) or the graph minor ordering ($G \sqsubseteq_m H$). Let G_0 be the initial graph and G_f be a fixed graph that represents a pattern to be reached.

Indeed, the key idea is to use a graph H as a symbolic representation of its upward closure wrt. \sqsubseteq , namely the infinite set of graphs $up(H) = \{G \mid H \sqsubseteq G\}$. The exploration then starts from G_f and for each rule r , it applies the rule backwards to the current set of graphs by taking into account their denotation. Specifically, let $r: L \rightarrow R$ be a rule. The operator Pre_r is defined in a declarative way as follows: $G \in Pre_r(H)$ iff $\exists H'. H \sqsubseteq H', G \Rightarrow_r H'$. Hence in the case of subgraph inclusion, by adding auxiliary nodes and edges, we first expand H in to graph H' , and then we search for a possible match with the right-hand side R of rule r . If such a match exists, we apply a rewriting step backwards replacing R by L .

To turn the definition into an effective procedure, we observe that we can restrict ourselves to compute a minimal set $MPre_r(H)$ of graphs that denotes the infinite set $Pre_r(H)$. In the case of subgraph inclusion this can be done by considering only expanded graphs H' that are obtained by merging H with subgraphs of R . Indeed we observe that if r is applied backwards to a subgraph of H' that does not overlap with H , then the resulting graph will still contain H as a subgraph, and then it will never be added to \mathbf{N} (it is subsumed and does not bring any new information).

For the case of the minor ordering we can use similar ideas for the backwards step (see also [15]).

In general, this procedure may not terminate for rules of arbitrary form, but we can show that it terminates for our specific cases.

B Proofs

PROPOSITION 9. *The coverability problem for context-free graph transformation systems is decidable.*

PROOF. The decision procedure is based on the backward exploration algorithm in Appendix A, where \mathcal{R} contains only context-free rules and we instantiate the predicate “ G subsumes H ” by $G \sqsubseteq_s H$ (G is a subgraph of H).

We obtain termination since \mathcal{R} contains only context-free rules. Under this hypothesis, in the definition of $MPre_r$, we have that r is a rule $L \rightarrow R$ in which L is a single hyperedge defined over a sequence of distinct nodes. We now claim that, for such a rule, the number of hyperedges in graphs in $MPre_r(H)$ that are not immediately subsumed by H either stays the same or decreases. Specifically, let M be a graph obtained as the overlap of H and of a subgraph of R .


- If R matches a subgraph M' of M that contains at least one hyperedge inside H , the claim immediately holds for the graph G obtained by rewriting M' into L , i.e., G has a smaller or equal number of hyperedges wrt. H .
- now assume that R matches a subgraph M' of M that contains no hyperedges inside H and such that M' contains nodes that match nodes that occur both in R and L . In this case, we obtain a graph G that corresponds to H with an additional hyperedge (the one in L). But then G is immediately subsumed by H and it can be discarded.

The above claim can be used to ensure termination of the procedure. Indeed, since the arity of hyperedges is fixed a priori, the number of possible graphs that are generated by the algorithm is finite and bounded by the size of the input rules and of the graph G_f .


For every newly added graph H , we test if the initial graph has been reached by using the condition $H \sqsubseteq_s G_0$ (i.e. $G_0 \in up(H)$). If so we stop and return *yes*. Otherwise we return *no* when the exploration terminates (final line). The number of generated graphs may be exponential in the size of G_f and \mathcal{R} . ■

PROPOSITION 13. *The coverability problem is undecidable for non-deleting graph transformation systems.*


PROOF. For a (deterministic) Turing machine (TM) with the initial state z_0 , the input word $w = w_1 \dots w_n$ and the blank symbol \square we define the initial graph as follows:



The GTS rules consist of so-called δ -rules simulating the TMs transition function and some auxiliary rules. We add δ -rules for every input of the TMs transition function $\delta(z, \alpha) = (z', \alpha', \beta)$ where Γ is the tape alphabet as follows:



Each application of a δ -rule adds a new level to the generated graph, later resulting in a grid-like structure, where higher levels have edges labeled L , R or N pointing to lower levels. To generate an arbitrary number of blanks at both ends of the tape as well as to copy a tape edge (edges labeled with a tape symbol) from a lower level to a higher level, we introduce the following auxiliary rules (so-called copy rules):



First we show that *if the TM reaches a final state, an edge labeled with a final state is coverable in the GTS.*

We define the level of a tape edge to be zero if it belongs to the initial graph or is a \square -edge parallel to a R_{\square} or L_{\square} -labeled edge (i.e. was generated by one of the first two copy rules). If the edge was generated by any other rule application, the level is one higher than the level of any tape edges connected by outgoing edges labeled with L , R or N . Taking into account the structure of the δ - and copy rules it can be shown by induction over the levels that any two adjacent tape edges have the same level.

Assume the TM reaches a final state. Then there exists a sequence of transition function applications leading to the final state. Because there is a GTS rule for any transition rule

of the TM, this sequence has a corresponding sequence of rule applications in the GTS. However, copy rules have to be used to copy the tape to higher levels between each step of the TM computation. The final state is generated in the rule application and therefore coverable.

We now show that *if an edge labeled with a final state is coverable in the GTS, the TM reaches a final state.*

Let \mathcal{R} be set of GTS rules and G_I the initial graph. Moreover let G be the graph covering the final state z_f , generated out of G_I by the set of rule applications \mathcal{A} . A rule application $a \in \mathcal{A}$ is represented by a tuple $a = (\rho, \ell_a, r_a)$, where $(\rho: L \rightarrow R) \in \mathcal{R}$ is a rule and $\ell_a: L \rightarrow G, r_a: R \rightarrow G$ are total, injective morphisms. Note that these morphism are total and injective because the rules are non-deleting. For two rule applications a, b we call b directly dependent on a if $\text{img}(r_a) \setminus \text{img}(\ell_a) \cap \text{img}(\ell_b) \neq \emptyset$, where $\text{img}(m)$ is the image of a morphism m . We define \leq to be the smallest partial order satisfying $a \leq b$ if b directly depends on a and call b (indirectly) dependent on a if $a \leq b$ holds.

Let a_f be the rule application generating z_f . Without loss of generality we assume that \mathcal{A} is minimal, i.e. for all rule applications $a \in \mathcal{A}$ it holds that $a \leq a_f$.


Although the initial graph is a directed path, a tape generated by the GTS is a so-called multipath, as shown in the diagram below. In the initial graph only the input word forms a proper path, again with branching structures on both sides, which are generated by the first two copy rules.




On higher levels, depending on the rule, a δ -rule application generates one (left graph) or two (right graph) connected tape edges with one state edge attached (either on the left or right middle edge) in the centre. Multiple applications of the last two copy rules can then generate branching tree-like structures to the left and right. Different edges at the same depth of a tree have the same label, i.e. different paths within the multipath are labeled equally. It is important to remark that in the right case above neither β nor γ can be copied multiple times to the current level because the middle node is connected to the lower level through an N -edge. Multiple applications of δ -rules will lead to more than one multipath tape at the same level, however these tapes do not intersect and cannot be connected by any rule.

The given GTS rules are defined such that *two rule applications $a, b \in \mathcal{A}$ satisfying $\text{img}(\ell_a) \cap \text{img}(\ell_b) \neq \emptyset$ apply the same rule.* This is clear for different δ -rules, because by definition there is exactly one δ -rule applicable on any tape containing exactly one state-edge. Also the matching of a copy rule cannot intersect with that of a δ -rule, because copy rules can only copy tape edges to a higher level which were not already copied by a δ -rule application.

We will now show that \mathcal{A} contains no match intersecting rule applications because *whenever two rule applications $a, b \in \mathcal{A}$ intersect on their matches, either $a \leq a_f$ or $b \leq a_f$ does not hold* (possibly none holds). This is the case for two δ -rule applications, as seen in the left image below, because they generate two unconnected tapes and existing tapes cannot be connected by any rule.



The application of two copy rules leads to a branching in the tape (see right diagram above), but tape edges of different branches cannot be part of the same match because no rule has tape edges directed in this way. The branching can be copied to higher levels, but this is not a problem as long as no δ -rule is applied to edges in different branches. However, any δ -rule applied to one of the copied edges generates an N -edge which blocks the other copied edge from being copied to the tape just created, as illustrated by the left graph below. None of the two copy rules in question is applicable, because none can match the N -edge. The second (lower) β -edge could, however, be copied to a higher level by the application of a δ -rule, creating a second tape or multi-path, but this does not interfere with the first tape. Hence the minimal set \mathcal{A} contains no branching and its application will result in a structure similar to one depicted below on the right.



The TM computation can be obtained from a minimal set of rule applications \mathcal{A} by ordering the δ -rule applications by dependence. The TM will therefore reach a final state if the final state is coverable in the GTS. ■

PROPOSITION 15. *If every graph reachable from G_0 is an n -bounded path graph, then the coverability problem is decidable.*

PROOF. We first observe that subgraph inclusion for hypergraphs can be reduced to subgraph inclusion for graphs, which is known to be a wqo [17, 8]. We simply have to replace every hyperedge e (with arity k) with a new node n_e connected to all k nodes attached to e and then add a loop with the label of e . This labelling ensures that, when checking subgraph inclusion, n_e can only be mapped to a node that represents a hyperedge with the same label and arity.

Now we observe that the transition system defined on graphs is monotone wrt. the subgraph relation. Indeed, assume that the left-hand side L of rule r has a total, injective, and label preserving mapping f into graph G . Now if G is a subgraph of H , then there exist a total, injective, and label preserving mapping g from G to H . Composing m and m' we get a total, injective and label preserving mapping h from L to H . The application of r (defined by a partial injective mapping) replaces L with R in both G and H . For the resulting graphs

G' and H' , we have that G' is a subgraph of H' . Based on these properties, we observe now that we can then apply the symbolic backward reachability algorithm in Appendix A, by instantiating the *subsumes* relation with \sqsubseteq_s , $MPre_r$ is defined (for arbitrary rules) as in the proof of Prop. A. In addition we add the condition that all graphs H that are not n -bounded are discarded during the analysis. The termination of the algorithm is ensured then by the fact that subgraph inclusion for this class of graphs is a wqo [8]. \blacksquare

PROPOSITION 16. *The reachability problem is undecidable for the following classes of graph transformation systems: (a) edge-deleting and node-deleting; (b) edge-contracting and node-deleting; (c) edge-deleting and edge-contracting.*

PROOF. The proof is by reduction of the halting problem for Minsky machines, which is undecidable. We recall that a Minsky machine consists of a finite set of instructions manipulating two variables (aka counters) c_1 and c_2 , each of the instructions being of the following form: (1) $(q, \text{inc}(c_i), q')$ (incrementation of the counter c_i); (2) $(q, \text{dec}(c_i), q')$ (decrementation of the counter c_i); (3) $(q, \text{zero}(c_i), q')$ (test to 0 of the counter c_i) where q, q' are control states and where the instruction $(q, \text{dec}(c_i), q')$ [resp. $(q, \text{zero}(c_i), q')$] is blocking if the value of the counter c_i is equal to 0 [resp. strictly greater than 0]. The reachability problem is then, given two configurations (q, k, l) and (q', k', l') with $k, l, k', l' \in \mathbb{N}$, to determine whether from the initial configuration (q, k, l) the program can reach the configuration (q', k', l') .




Figure 3: Encoding of a Minsky machine

We now show how to reduce the reachability problem for each of the classes of graph transformation systems mentioned above into the reachability problem for Minsky machines. The encoding of a Minsky machine and of its configurations into a graph transformation system and its configuration is described on Figure 3. On the top of the figure,

we show how to encode a configuration of the form $(q, 2, 1)$. Then we demonstrate how to encode the transitions of the Minsky machine. Note that the increment operation is omitted here since it only consists in applying the rules for decrement from right to left. We consider then the different graph transformation systems obtained by the one described in the figure extended with the desired set of minor rules. The main idea of this translation is that if during the execution of the graph translation system, a minor rule is used it will destroy the structure of the graph and it is not possible to apply other rules of the system to rebuild it. However as mentioned before if the transition system is equipped with the three types of minor rules then this reduction does not work anymore.

We now provide a proof sketch to show that the reduction is correct. First if we assume that a configuration (q', k', l') is reachable in the Minsky machine from an initial configuration (q, k, l) then it is easy to see that the graph encoding (q', k', l') is reachable from the graph (q, k, l) in the graph transformation system described in Figure 3 and this without applying any minor rules. Hence we deduce that this direction of the proof holds for the three types of graph transformation systems described in the statement of the theorem simply by considering in each of it an execution which does not use the minor rules.

Now suppose that the graph G_f encoding a configuration (q', k', l') of the Minsky machines is reachable from the graph G_0 encoding a configuration (q, k, l) in the graph transformation system described above extended with node deletion and edge deletion rules. First note that deletions (due to application of a minor rule) cannot happen on the part of the graphs labelled with the control state of the Minsky machine. (In fact they can happen, but then it is not possible to reach the final configuration.) Assume an edge deletion is applied in the part of the graph encoding the value of one of the two counters, for instance c_1 . It cannot be on an edge labelled by $\#_1$ since this edge has to appear in the graph G_f . Assume it is applied to an edge labelled c_1 or c'_1 , then the rules of the graph transformation system do not allow to rebuild the graph G_f and the same happens with deletion of a node. Hence, in the execution, from G_0 to G_f no minor rules is used, consequently we deduce that there exists an execution from (q, k, l) to (q', k', l') in the Minsky machine.

Now suppose that the graph G_f encoding a configuration (q', k', l') of the Minsky machine is reachable from the graph G_0 encoding a configuration (q, k, l) in the graph transformation system described above extended with node deletion and edge contraction rules. First note, that a node deletion or an edge contraction cannot be applied on the part of the graph labelled with the control state of the Minsky machine. These operations can also not be applied on the edges and nodes belonging to the 'segment' labelled by $\#_1$. Suppose now that an edge contraction is performed during the execution on an edge labelled by c'_1 . The consequence of this will be the creation of a simple cycle involving two nodes with labels $\#_1, c_1$ or c_1, c_1 in the configuration graph. Then in order to obtain the final graph G_f , the system would have to delete this cycle. If the cycle is labelled with $\#_1, c_1$ and if the system deletes it, then it would not be able to reach the graph G_f , in fact it could delete the edge labelled by c_1 with an edge contraction but then the graph would contain a self-loop labelled by $\#_1$ which the system would not be able to unfold anymore. If the cycle is labelled by c_1, c_1 then the system could delete this cycle by performing two edge contractions on the edges labelled by c_1 , however this would have as a consequence the creation of a node with more than two edges labelled c'_1 attached to it. such a node cannot be deleted by the rules given in

Figure 3 or by using node deletions (see below) or edge contraction rules and hence the system would not be able to reach G_f (in which every node has at most two edges labelled with c'_i attached to it). A similar reasoning can be applied to the case where the system performs an edge contraction on an edge labelled by c_1 , in fact, this will again create in the graph a node attached to more than two edges labelled by c'_1 . Assume the system performs a node deletion, then the node is located in the middle of a path consisting of two edges labelled with c_1 , however this operation will also delete two edges labelled by c'_1 . The system is not able to recreate the edge labeled by c_1 and c'_1 just deleted, but could try to use edge contraction rules to fuse the nodes attached to the deleted edges such that the resulting structure is smaller but intact. However fusing the nodes attached to the deleted edges labelled by c'_1 can only be done by contracting edges labelled with c_1 , which will not work, as seen above. Because of the destroyed structure, G_f can never be reached. Consequently, as for the case above, we deduce that if there exists an execution from G_0 to G_f in the graph transformation system described in Figure 3 extended with node deletion and edge contraction, we deduce that no minor rule is used during this execution and the execution characterizes an execution in the corresponding Minsky machine from (q, k, l) to (q', k', l') .

We now consider the last case. We assume that the graph G_f encoding a configuration (q', k', l') of the Minsky machine is reachable from the graph G_0 encoding a configuration (q, k, l) in the graph transformation system described above extended with edge deletion and edge contraction rules. We apply the same reasoning as the case before with node deletion and edge contraction. If a minor rule is applied during the execution, it has to be on one of the part encoding the two counters. Assume an edge contraction is applied at some point on an edge labelled by c'_1 . The consequence of this will be the creation of a simple cycle involving two nodes with labels $\#_1, c_1$ or c_1, c_1 in the configuration graph. Since the mapping must be injective the rules associated to counter operations cannot be applied anymore. A further contraction step will produce a self-loop. To get rid of simple cycles/self loops we can apply here edge deletion (which was not possible in the previous case). One solution to solve possible problems is to add to the rules of the system and to the encoding of configurations disconnected nodes with self loops with a new label c''_i , so that the number of self loops labelled with c''_i will be the same as the number of edges in the current graph labelled by c'_i . With this technique, we see that if an edge contraction or an edge deletion is applied to an edge labelled by c'_i (or c_i) at some point, then in order to reach the configuration G_f the system will have to delete an edge labelled by c'_i , but then it will not be able to delete both the edge and the node associated to the self-loop labelled by c''_i (since there is no node deletion). If an edge contraction is applied to a self-loop with label c''_i relevant for a simulation, then again the rules that model increment and decrement may not be applicable anymore (they check for the presence of self-loops on auxiliary nodes). Thus, in both cases the graph G_f will not be reachable. In this new graph transformation system, we hence conclude that if there exists an execution from G_0 to G_f in the graph transformation system described in Figure 3 we deduce that no minor rule is used during this execution and the execution represents also an execution in the corresponding Minsky machine from (q, k, l) to (q', k', l') .

PROPOSITION 17. *The coverability problem is undecidable for graph transformation systems with edge deletion and node deletion rules.*

PROOF. The proof is similar to the proof of Proposition 16 in the case of edge deletion and node deletion. Here we reduce the problem of reaching a control state from an initial configuration in a Minsky machine (which is also undecidable). The encoding of a Minsky machine is the one provided at Figure 3. Assume we want to know if the control state q' is reachable in the Minsky machine. The final graph G_f to cover will then be the graph which consists of two nodes connected by an edge labelled with q' . By applying the same reasoning as in the proof of Proposition 16 we can show that the control state q' is reachable in the Minsky machine from an initial configuration (q, k, l) if and only if the graph G_f can be covered in the associated graph transformation system starting from the initial graph encoding (q, k, l) . Note that however this reasoning would not work in the case of edge contraction rules, the main difference being that (see proof of Proposition 16) the use of edge contraction rules, in the graph transformation system we consider, create some self loops or parallel edges that cannot be detected only with coverability (whereas the creation of these self loops and parallel edges could be detected when dealing with reachability). ■

PROPOSITION 19. *The existential coverability problem is decidable for graph transformation systems with relabelling rules where the set of node labels Λ' is a singleton, i.e., $|\Lambda'| = 1$.*

PROOF. Let \mathcal{R} be the rule set, H the graph to cover and I the set of initial labels. We define $\mathbf{Lab}(G)$ to be the set of all labels the edges of a graph G are labeled with. Let the label sets Lab_i with $i \in \mathbb{N}_0$ be defined as follows:

$$Lab_0 = I$$

$$Lab_{i+1} = Lab_i \cup \{\ell \in \mathbf{Lab}(R) \mid \exists(\rho: L \rightarrow R) \in \mathcal{R}: \mathbf{Lab}(L) \subseteq Lab_i\}$$

Because the set of labels is finite, there is some $n \in \mathbb{N}_0$ such that the sequence becomes stationary, i.e $Lab_n = Lab_{n+j} =: Lab_*$ for all $j \in \mathbb{N}_0$. The graph H is coverable by the GTS if and only if $\mathbf{Lab}(H) \subseteq Lab_*$.

If H is coverable, then there is an initial graph G_0 , a graph G_f covering H and a sequence of rule applications leading from G_0 to G_f . Because G_0 contains only initial labels, every rule applied to generate G_f satisfies the condition of Lab_i for some $i \in \mathbb{N}_0$, hence $\mathbf{Lab}(H) \subseteq \mathbf{Lab}(G_f) \subseteq Lab_*$ holds.

Now assume $\mathbf{Lab}(H) \subseteq Lab_*$ holds, hence $\mathbf{Lab}(H) \subseteq Lab_i$ for some $i \in \mathbb{N}_0$. By induction we show that any graph G satisfying $\mathbf{Lab}(G) \subseteq Lab_i$ for some i , is coverable.

This holds for $i = 0$, because any graph containing only initial labels is coverable without applying any rules (G_0 is not fixed). Let G be a graph with $\mathbf{Lab}(G) \subseteq Lab_{i+1}$ and assume $Lab_i \neq Lab_{i+1}$. By definition of Lab_{i+1} there is a rule $\rho_\ell: L \rightarrow R$ for every label $\ell \in Lab_{i+1} \setminus Lab_i$, where $\mathbf{Lab}(L) \subseteq Lab_i$ and $\ell \in \mathbf{Lab}(R) \subseteq Lab_{i+1}$. We construct a graph G' with $\mathbf{Lab}(G') \subseteq Lab_{i+1}$ by adding sufficient nodes and edges to G such that ρ_ℓ can be applied backwards matching any occurrence of a label ℓ in G . After all backwards applications we obtain a graph G'' with $\mathbf{Lab}(G'') \subseteq Lab_i$, hence G'' is coverable by the induction hypothesis. By application of the rules ρ_ℓ to G'' we obtain G' , hence its subgraph G is coverable. ■

PROPOSITION 21. *The existential coverability problem is undecidable for graph transformation systems with (general) node and edge relabelling rules.*

PROOF. We encode a Turing Machine into a node and edge relabelling GTS.

Let $\Lambda' = \{I_n, L, R, F\}$ be set of node labels and $\Lambda = \{I_e\} \cup ((Z \cup \{x\}) \times \Gamma)$ the set of edge labels, where Z is the set of states and Γ the tape alphabet of the TM with blank symbol \square and I_n, I_e are initial labels. With the exception of I_e the edge labels denote the head position (where $z \in Z$ denotes the presence and x the absence of the head) as well as the current state of the TM and the tape symbol for each cell of the tape. Before the GTS can simulate the TM, we need to extract a tape out of the initial graph by applying the rules below:

$$\begin{array}{c} I_n \\ \circ \end{array} \xrightarrow{I_e} \begin{array}{c} I_n \\ \circ \end{array} \implies \begin{array}{c} L \\ \circ \end{array} \xrightarrow{(z_0, \square)} \begin{array}{c} R \\ \circ \end{array}$$

$$\begin{array}{c} R \\ \circ \end{array} \xrightarrow{I_e} \begin{array}{c} I_n \\ \circ \end{array} \implies \begin{array}{c} F \\ \circ \end{array} \xrightarrow{(x, \square)} \begin{array}{c} R \\ \circ \end{array}$$

$$\begin{array}{c} I_n \\ \circ \end{array} \xrightarrow{I_e} \begin{array}{c} L \\ \circ \end{array} \implies \begin{array}{c} L \\ \circ \end{array} \xrightarrow{(x, \square)} \begin{array}{c} F \\ \circ \end{array}$$

$$\delta(z_i, \alpha) = (z_j, \alpha', R) \quad \begin{array}{c} F \\ \circ \end{array} \xrightarrow{(z_i, \alpha)} \begin{array}{c} F \\ \circ \end{array} \xrightarrow{(x, \beta)} \begin{array}{c} F \\ \circ \end{array} \implies \begin{array}{c} F \\ \circ \end{array} \xrightarrow{(x, \alpha')} \begin{array}{c} F \\ \circ \end{array} \xrightarrow{(z_j, \beta)} \begin{array}{c} F \\ \circ \end{array}$$

The first rule is used to start the extraction of a tape out of the initial graph and next two rules are used to extend the tape to the left and right. The fourth rule demonstrates how the Turing Machines transition function is then transformed to GTS rules. All nodes must thereby be labeled with F to assure that the tape generation already terminated and any possibly adjacent edges are labeled with I_e and cannot interfere with the simulation.

It is possible that the initial graph has an insufficient size and the simulation is blocked at some point. However, if there is a terminating computation of the Turing machine, there will be a graph of sufficient size to contain the Turing tape. Furthermore this construction can generate multiple tapes, but these tapes are not connected and there is exactly one state in each tape. ■